

# VITI COMBI




**08800** TMBL BREAK-OFF PAGE 198



**09800** TBL CEI PAGE 199



**07800** TMBL PZ RAN PAGE 200



**03800** TBL PZ PAGE 202



**06800** TBL PZ SERR PAGE 204



**05500** TSP PZ PAGE 205



**06500** TSP PZ SM PAGE 206



**Small Head**

# 08800

TMBL BREAK-OFF




ALWAYS UP-TO-DATE WITH REGULATIONS



## DOMESCREWS PZ AND SLOTTED COMBINATION WAFER HEAD BREAK-OFF

- Viti testa bombata larga combi ranellata a tagliare PZ
- Möbelgriffschrauben Scheibenkopf mit Kombi-Kreuzschlitz PZ zum Ablängen
- Vis poêliers tête bombée large PZ sécable
- Tornillos para tiradores cabeza abombada combi PZ multicorte
- Винты мебельные полукруглая головка с шайбой, прерывистой резьбой и комбинированным шлицем PZ



| Diameters<br>Diametri | Limits<br>Limiti | A    | H    | P     | PZ |
|-----------------------|------------------|------|------|-------|----|
| M 4                   | Min.             | 9,25 | 2,24 | -0,70 | 2  |
|                       | Max              | 9,75 | 2,59 |       |    |

| Sizes<br>Misure | Break-off<br>Tagli |      |      |      |      |
|-----------------|--------------------|------|------|------|------|
| M 4 x 42,5      | 17,5               | 22,5 | 27,5 | 32,5 | 37,5 |
|                 | 45                 | 20   | 25   | 30   | 35   |

### CL. 4.8

- Low Tensile Steel**  
Acciaio a Bassa Resistenza
- Class 4.8 Steel**  
Acciaio Classe 4.8
- Tensile Strength: 400 N/mm<sup>2</sup>**  
Resistenza alla rottura per trazione: 400 N/mm<sup>2</sup>
- Elastic limit: 320 N/mm<sup>2</sup>**  
Limite di elasticità: 320 N/mm<sup>2</sup>

| SIZES<br>MISURE | FINISHING  |   |  | PACKAGING |           |     |       |
|-----------------|--|---|--|-----------|-----------|-----|-------|
|                 | TG 51<br>BLUE ZNC Cr3<br>ZINCATE Cr3<br>€/ 1.000 | TG 52<br>YELLOW ZNC Cr3<br>ZINC. GIALLE Cr3<br>€/ 1.000 | TG 3<br>BRONZE PL.<br>BRONZATE<br>€/ 1.000 |           |           |     |       |
| M 4 x 42,5      | 52,35  | 55,50   | 71,55                                      | 2.000 (4) | 1.000 (2) | 500 | 4.000 |
| 45              | 58,05  | 61,50   | 79,35                                      | 2.000 (4) | 1.000 (2) | 500 | 4.000 |

# 09800

TBL CEI



ALWAYS UP-TO-DATE WITH REGULATIONS




MORE INFO ON PAGE 14

TG 51  
BASE  
Zinc Cr3 3µm  
24 hr  
RoHS compliant

## DOMESCREWS WITH HEXAGON SOCKET TRUSS HEAD

- Viti testa bombata larga combi esagono incassato
- Möbelgriffschrauben Flachrundkopf mit Innensechskant
- Vis poêliers tête bombée large six pans creux
- Tornillos para tiradores cabeza abombada hexágono interior
- Винты мебельные полукруглая головка с внутренним шестигранником



| Diameters<br>Diametri | Limits<br>Limiti | A     | H    | S    | P      |
|-----------------------|------------------|-------|------|------|--------|
| M 6                   | Min.             | 14,50 | 3,30 | 5,00 | - 1,00 |
|                       | Max.             | 15,00 | 3,70 |      |        |

## CL. 4.8

- **Low Tensile Steel**  
Acciaio a Bassa Resistenza
- **Class 4.8 Steel**  
Acciaio Classe 4.8
- **Tensile Strength: 400 N/mm<sup>2</sup>**  
Resistenza alla rottura per trazione: 400 N/mm<sup>2</sup>
- **Elastic limit: 320 N/mm<sup>2</sup>**  
Limite di elasticità: 320 N/mm<sup>2</sup>

### FINISHING

SIZES  
MISURETG 51  
BLUE ZNC Cr3  
ZINCATE Cr3  
C / 1.000

### PACKAGING



| SIZES<br>MISURE | FINISHING | PACKAGING | CONCRETE<br>SCREWS | BLOCKFRAME<br>SCREWS | SELF-DRILLING<br>SCREWS |
|-----------------|-----------|-----------|--------------------|----------------------|-------------------------|
| M 6 x 10        | 51,50     | 4.000 (8) | 2.000 (4)          | 500                  |                         |
| 12              | 53,70     | 4.000 (8) | 2.000 (4)          | 500                  |                         |
| 15              | 59,65     | 3.000 (6) | 1.000 (2)          | 500                  |                         |
| 18              | 62,25     | 3.000 (6) | 1.000 (2)          | 500                  |                         |
| 20              | 66,85     | 3.000 (6) | 1.000 (2)          | 500                  |                         |
| 25              | 74,20     | 2.000 (4) | 1.000 (2)          | 500                  |                         |
| 30              | 82,25     | 2.000 (4) | 1.000 (2)          | 500                  |                         |
| 35              | 91,55     | 1.600 (8) | 800 (4)            | 200                  |                         |
| 40              | 100,10    | 1.200 (6) | 400 (2)            | 200                  |                         |

# 07800

TMBL PZ RAN




ALWAYS UP-TO-DATE WITH REGULATIONS



## DOMESCREWS PZ AND SLOTTED COMBINATION WAFER HEAD

- Viti testa bombata larga combi ranellata PZ
- Möbelgriffschrauben Scheibenkopf Kombi-Kreuzschlitz PZ
- Vis poêliers tête ronde large à embase PZ
- Tornillos para tiradores cabeza abombada+arandela combi PZ
- Винты мебельные полукруглая головка с прессшайбой и комбинированным шлицем PZ



| Diameters<br>Diametri | Limits<br>Limiti | A     | H    | P     | PZ |
|-----------------------|------------------|-------|------|-------|----|
| M 4                   | Min.             | 9,50  | 1,90 | -0,70 | 2  |
|                       | Max.             | 10,00 | 2,30 |       |    |

## CL. 4.8

- **Low Tensile Steel**  
Acciaio a Bassa Resistenza
- **Class 4.8 Steel**  
Acciaio Classe 4.8
- **Tensile Strength: 400 N/mm<sup>2</sup>**  
Resistenza alla rottura per trazione: 400 N/mm<sup>2</sup>
- **Elastic limit: 320 N/mm<sup>2</sup>**  
Limite di elasticità: 320 N/mm<sup>2</sup>



**PLAY**  
THE VIDEO

# 07800

## TMBL PZ RAN

| SIZES<br>MISURE | FINISHING  |   |  |   |  | PACKAGING   |           |     |        |
|-----------------|--|---|--|---|--|-------------|-----------|-----|--------|
|                 |  |   |  |   |  |             |           |     |        |
|                 | TG 51<br>BLUE ZNC Cr3<br>ZINCATE Cr3<br>€/ 1.000 | TG 52<br>YELLOW ZNC Cr3<br>ZINC. GIALLE Cr3<br>€/ 1.000 | TG 3<br>BRONZE PL.<br>BRONZATE<br>€/ 1.000 | TG 4<br>NICKEL PL.<br>NICHELATE<br>€/ 1.000 | TG 57<br>BLACK ZNC Cr3<br>ZINC. NERE Cr3<br>€/ 1.000 |             |           |     |        |
| M 4 x 7         | 14,60  | 15,45   | 18,40                                      | 18,40                                       | 19,32  | 12.000 (24) | 2.000 (4) | 500 | 15.000 |
| 7,5             | 14,60  | 15,45   | 18,40                                      | 18,40                                       | 19,32  | 12.000 (24) | 2.000 (4) | 500 | 15.000 |
| 8               | 14,60  | 15,45   | 18,40                                      | 18,40                                       | 19,32  | 12.000 (24) | 2.000 (4) | 500 | 15.000 |
| 10              | 15,30  | 16,20   | 19,35                                      | 19,35                                       | 20,27  | 12.000 (24) | 2.000 (4) | 500 | 14.000 |
| 12              | 16,85  | 17,85   | 21,20                                      | 21,20                                       | 22,16  | 6.000 (12)  | 2.000 (4) | 500 | 12.500 |
| 12,5            | 16,85  | 17,85   | 21,20                                      | 21,20                                       | 22,16  | 6.000 (12)  | 2.000 (4) | 500 | 12.500 |
| 16              | 18,20  | 19,30   | 22,95                                      | 22,95                                       | 24,10  | 6.000 (12)  | 2.000 (4) | 500 | 10.000 |
| 17              | 19,75  | 20,95   | 24,85                                      | 24,85                                       | 26,04  | 6.000 (12)  | 2.000 (4) | 500 | 10.000 |
| 17,5            | 19,75  | 20,95   | 24,85                                      | 24,85                                       | 26,04  | 6.000 (12)  | 2.000 (4) | 500 | 10.000 |
| 18              | 19,75  | 20,95   | 24,85                                      | 24,85                                       | 26,04  | 6.000 (12)  | 2.000 (4) | 500 | 10.000 |
| 20              | 21,10  | 22,35   | 26,60                                      | 26,60                                       | 27,88  | 6.000 (12)  | 2.000 (4) | 500 | 8.000  |
| 21              | 21,10  | 22,35   | 26,60                                      | 26,60                                       | 27,88  | 6.000 (12)  | 2.000 (4) | 500 | 8.000  |
| 22              | 21,90  | 23,20   | 27,80                                      | 27,80                                       | 29,19  | 6.000 (12)  | 2.000 (4) | 500 | 8.000  |
| 22,5            | 21,90  | 23,20   | 27,80                                      | 27,80                                       | 29,19  | 6.000 (12)  | 2.000 (4) | 500 | 8.000  |
| 23              | 22,65  | 24,00   | 28,65                                      | 28,65                                       | 30,03  | 6.000 (12)  | 2.000 (4) | 500 | 8.000  |
| 24              | 22,65  | 24,00   | 28,65                                      | 28,65                                       | 30,03  | 4.000 (8)   | 2.000 (4) | 500 | 7.500  |
| 25              | 22,65  | 24,00   | 28,65                                      | 28,65                                       | 30,03  | 4.000 (8)   | 2.000 (4) | 500 | 7.500  |
| 27              | 25,55  | 27,05   | 32,25                                      | 32,25                                       | 33,86  | 4.000 (8)   | 2.000 (4) | 500 | 7.000  |
| 27,5            | 25,55  | 27,05   | 32,25                                      | 32,25                                       | 33,86  | 4.000 (8)   | 2.000 (4) | 500 | 7.000  |
| 28              | 25,55  | 27,05   | 32,25                                      | 32,25                                       | 33,86  | 4.000 (8)   | 2.000 (4) | 500 | 7.000  |
| 30              | 28,50  | 30,20   | 35,95                                      | 35,95                                       | 37,59  | 4.000 (8)   | 2.000 (4) | 500 | 6.000  |
| 32              | 29,15  | 30,90   | 36,75                                      | 36,75                                       | 38,69  | 4.000 (8)   | 2.000 (4) | 500 | 5.000  |
| 32,5            | 29,15  | 30,90   | 36,75                                      | 36,75                                       | 38,69  | 4.000 (8)   | 2.000 (4) | 500 | 5.000  |
| 35              | 32,80  | 34,75   | 41,45                                      | 41,45                                       | 43,52  | 3.000 (6)   | 1.000 (2) | 500 | 5.000  |
| 37              | 34,30  | 36,35   | 43,25                                      | 43,25                                       | 45,41  | 3.000 (6)   | 1.000 (2) | 500 | 5.000  |
| 37,5            | 34,30  | 36,35   | 43,25                                      | 43,25                                       | 45,41  | 3.000 (6)   | 1.000 (2) | 500 | 5.000  |
| 38              | 34,30  | 36,35   | 43,25                                      | 43,25                                       | 45,41  | 3.000 (6)   | 1.000 (2) | 500 | 5.000  |
| 40              | 36,55  | 38,75   | 46,00                                      | 46,00                                       | 48,25  | 3.000 (6)   | 1.000 (2) | 500 | 5.000  |
| 42              | 40,15  | 42,55   | 50,65                                      | 50,65                                       | 53,08  | 3.000 (6)   | 1.000 (2) | 500 | 4.000  |
| 42,5            | 40,15  | 42,55   | 50,65                                      | 50,65                                       | 53,08  | 3.000 (6)   | 1.000 (2) | 500 | 4.000  |
| 45              | 43,80  | 46,40   | 55,20                                      | 55,20                                       | 57,91  | 2.000 (4)   | 1.000 (2) | 500 | 4.000  |
| 47              | 47,40  | 50,20   | 59,65                                      | 59,65                                       | 62,53  | 2.000 (4)   | 1.000 (2) | 500 | 3.000  |
| 47,5            | 47,40  | 50,20   | 59,65                                      | 59,65                                       | 62,53  | 2.000 (4)   | 1.000 (2) | 500 | 3.000  |
| 50              | 51,10  | 54,15   | 64,40                                      | 64,40                                       | 67,52  | 2.000 (4)   | 1.000 (2) | 500 | 3.000  |
| 55              | 61,00  | 64,65   | 76,65                                      | 76,65                                       | 82,95  | 2.000 (4)   | 1.000 (2) | 500 | 3.000  |
| 60              | 70,00  | 74,20   | 89,25                                      | 89,25                                       | 96,60  | 2.000 (4)   | 1.000 (2) | 500 | 3.000  |



BLIND RIVETS

STAINLESS STEEL  
SCREWSHEX LAG  
SCREWSDRYWALL  
SCREWSCARPENTRY WOOD  
SCREWSCHIPBOARD  
SCREWSDOME & EURO  
SCREWSMACHINE  
SCREWSTUBULAR SCREWS  
NUTS BOLTS WASHERS  
THREADED RODSSELF-TAPPING  
SCREWSCONCRETE  
SCREWSBLOCKFRAME  
SCREWSSELF-DRILLING  
SCREWS

BITS

# 03800

TBL PZ



ALWAYS UP-TO-DATE WITH REGULATIONS




MORE INFO ON PAGE 14



## DOMESCREWS PZ AND SLOTTED COMBINATION TRUSS HEAD

- Viti testa bombata larga combi ranellata PZ
- Möbelgriffschrauben Scheibenkopf mit Kombi-Kreuzschlitz PZ
- Vis poèliers tête bombée large PZ
- Tornillos para tiradores cabeza abombada combi PZ
- Винты мебельные полукруглая головка с прессшайбой и с комбинированным шлицем PZ



| Diameters<br>Diametri | Limits<br>Limiti | A     | H    | P     | PZ |
|-----------------------|------------------|-------|------|-------|----|
| M 5                   | Min.             | 9,50  | 3,00 | -0,80 | 2  |
|                       | Max              | 10,00 | 3,30 |       |    |
| M 6                   | Min.             | 14,00 | 3,10 | -1,00 | 3  |
|                       | Max              | 14,50 | 3,40 |       |    |
| M 8                   | Min.             | 15,50 | 3,80 | -1,20 | 3  |
|                       | Max              | 16,00 | 4,00 |       |    |

## CL. 4.8

- **Low Tensile Steel**  
Acciaio a Bassa Resistenza
- **Class 4.8 Steel**  
Acciaio Classe 4.8
- **Tensile Strength: 400 N/mm<sup>2</sup>**  
Resistenza alla rottura per trazione: 400 N/mm<sup>2</sup>
- **Elastic limit: 320 N/mm<sup>2</sup>**  
Limite di elasticità: 320 N/mm<sup>2</sup>

# 03800

## TBL PZ

| SIZES<br>MISURE | FINISHING |           |           |           |           | PACKAGING  |           |     |       |
|-----------------|-----------|-----------|-----------|-----------|-----------|------------|-----------|-----|-------|
|                 |           |           |           |           |           |            |           |     |       |
|                 | € / 1.000 | € / 1.000 | € / 1.000 | € / 1.000 | € / 1.000 |            |           |     |       |
| <b>M 5 x 10</b> | 27,55     | 29,20     | 34,65     | 34,65     | 38,12     | 6.000 (12) | 2.000 (4) | 500 | 8.000 |
| 12              | 29,20     | 30,95     | 36,95     | 36,95     | 40,69     | 6.000 (12) | 2.000 (4) | 500 | 7.000 |
| 16              | 31,25     | 33,10     | 39,35     | 39,35     | 43,26     | 6.000 (12) | 2.000 (4) | 500 | 6.000 |
| 20              | 36,70     | 38,90     | 46,25     | 46,25     | 50,87     | 4.000 (8)  | 2.000 (4) | 500 | 5.000 |
| 25              | 39,95     | 42,35     | 50,30     | 50,30     | 55,39     | 4.000 (8)  | 2.000 (4) | 500 | 4.000 |
| 30              | 43,85     | 46,45     | 55,30     | 55,30     | 60,69     | 3.000 (6)  | 1.000 (2) | 500 | 4.000 |
| 35              | 49,95     | 52,95     | 63,15     | 63,15     | 69,25     | 3.000 (6)  | 1.000 (2) | 500 | 3.500 |
| 40              | 56,10     | 59,45     | 70,95     | 70,95     | 77,96     | 2.000 (4)  | 1.000 (2) | 500 | 3.000 |
| 45              | 65,00     | 68,90     | 81,95     | 81,95     | 90,09     | 1.600 (8)  | 800 (4)   | 200 | 2.500 |
| 50              | 76,40     | 80,95     | 96,20     | 96,20     | 105,84    | 1.600 (8)  | 800 (4)   | 200 | 2.500 |
| 60              | 96,70     | 102,50    | 122,35    | 122,35    | 134,40    | 1.200 (6)  | 400 (2)   | 200 | 1.600 |
| 70              | 118,70    | 125,80    | 150,15    | 150,15    | 164,85    | 800 (4)    | 400 (2)   | 200 | 1.500 |
| 80              | 144,00    | 152,60    | 181,65    | 181,65    | 200,55    | 800 (4)    | 400 (2)   | 200 | 1.200 |
| <b>M 6 x 10</b> | 41,20     | 43,65     | 52,10     | 52,10     | 57,33     | 4.000 (8)  | 2.000 (4) | 500 | 4.000 |
| 12              | 41,75     | 44,25     | 52,75     | 52,75     | 57,96     | 4.000 (8)  | 2.000 (4) | 500 | 4.000 |
| 15              | 42,60     | 45,15     | 53,60     | 53,60     | 59,01     | 3.000 (6)  | 1.000 (2) | 500 | 4.000 |
| 16              | 44,00     | 46,60     | 55,65     | 55,65     | 61,95     | 3.000 (6)  | 1.000 (2) | 500 | 4.000 |
| 20              | 48,60     | 51,50     | 61,15     | 61,15     | 67,31     | 3.000 (6)  | 1.000 (2) | 500 | 3.000 |
| 25              | 53,20     | 56,35     | 67,15     | 67,15     | 73,92     | 2.000 (4)  | 1.000 (2) | 500 | 2.500 |
| 30              | 56,55     | 59,90     | 71,05     | 71,05     | 78,17     | 2.000 (4)  | 1.000 (2) | 500 | 2.500 |
| 35              | 63,25     | 67,00     | 79,55     | 79,55     | 87,47     | 1.600 (8)  | 800 (4)   | 200 | 2.200 |
| 40              | 71,95     | 76,25     | 90,85     | 90,85     | 99,96     | 1.200 (6)  | 400 (2)   | 200 | 2.000 |
| 45              | 82,45     | 87,40     | 103,90    | 103,90    | 114,24    | 1.200 (6)  | 400 (2)   | 200 | 1.800 |
| 50              | 91,50     | 97,00     | 115,50    | 115,50    | 127,10    | 1.200 (6)  | 400 (2)   | 200 | 1.600 |
| 60              | 117,45    | 124,45    | 147,95    | 147,95    | 162,70    | 800 (4)    | 400 (2)   | 200 | 1.500 |
| 70              | 146,15    | 154,90    | 184,20    | 184,20    | 202,49    | 800 (4)    | 400 (2)   | 200 | 1.000 |
| 80              | 175,00    | 185,50    | 220,50    | 220,50    | 243,60    | 800 (4)    | 400 (2)   | 200 | 1.000 |
| 100             | 233,00    | 246,95    | 290,85    | 290,85    | 325,50    | 800 (4)    | 400 (2)   | 200 | 800   |
| <b>M 8 x 15</b> | 118,05    | 125,10    | 148,65    | 148,65    | 163,54    | 2.400 (12) | 800 (4)   | 200 | 2.200 |
| 16              | 120,00    | 127,20    | 151,20    | 151,20    | 166,95    | 2.400 (12) | 800 (4)   | 200 | 2.200 |
| 20              | 123,50    | 130,90    | 155,45    | 155,45    | 171,20    | 1.600 (8)  | 800 (4)   | 200 | 2.000 |
| 25              | 136,45    | 144,60    | 171,95    | 171,95    | 189,26    | 1.200 (6)  | 400 (2)   | 200 | 1.500 |
| 30              | 147,40    | 156,20    | 185,60    | 185,60    | 204,33    | 1.200 (6)  | 400 (2)   | 200 | 1.400 |
| 35              | 153,00    | 162,15    | 192,70    | 192,70    | 211,89    | 1.200 (6)  | 400 (2)   | 200 | 1.200 |
| 40              | 165,70    | 175,60    | 208,80    | 208,80    | 229,74    | 800 (4)    | 400 (2)   | 200 | 1.000 |
| 45              | 181,10    | 191,95    | 228,15    | 228,15    | 250,79    | 800 (8)    | 400 (4)   | 100 | 1.000 |
| 50              | 195,85    | 207,60    | 246,70    | 246,70    | 271,43    | 600 (6)    | 200 (2)   | 100 | 800   |
| 55              | 214,50    | 227,35    | 269,30    | 269,30    | 315,05    | 600 (6)    | 200 (2)   | 100 | 700   |
| 60              | 231,70    | 245,60    | 291,90    | 291,90    | 321,04    | 600 (6)    | 200 (2)   | 100 | 700   |
| 70              | 268,80    | 284,90    | 338,75    | 338,75    | 372,59    | 400 (4)    | 200 (2)   | 100 | 600   |
| 80              | 303,25    | 321,40    | 382,45    | 382,45    | 420,63    | 400 (4)    | 200 (2)   | 100 | 500   |
| 100             | 373,00    | 395,35    | 470,40    | 470,40    | 519,75    | 400 (4)    | 200 (2)   | 100 | 300   |



BLIND RIVETS

STAINLESS STEEL  
SCREWSHEX LAG  
SCREWSDRYWALL  
SCREWSCARPENTRY WOOD  
SCREWSCHIPBOARD  
SCREWSDOME & EURO  
SCREWSMACHINE  
SCREWSTRIANGULAR SCREWS  
NUTS BOLTS WASHERS  
THREADED RODSSELF-TAPPING  
SCREWSCONCRETE  
SCREWSBLOCKFRAME  
SCREWSSELF-DRILLING  
SCREWS

BITS



# 06800

## TBL PZ SERR




ALWAYS UP-TO-DATE WITH REGULATIONS



### DOMESCREWS PZ COMBINATION TRUSS HEAD WITH SERRATION UNDER HEAD

- Viti testa bombata larga combi PZ dentellatura sotto testa
- Möbelgriffschrauben Flachrundkopf Kombi-Kreuzschlitz PZ und Unterkopfverzahnung
- Vis poëliers tête bombée large crantée combi PZ
- Tornillos para tiradores cabeza abombada combi PZ dentellados bajo cabeza
- Винты мебельные полукруглая зубчатая головка с комбинированным шлицем PZ



| Diameters<br>Diametri | Limits<br>Limiti | A     | H    | P     | PZ |
|-----------------------|------------------|-------|------|-------|----|
| M 6                   | Min.             | 14,00 | 3,10 | -1,00 | 3  |
|                       | Max              | 14,50 | 3,40 |       |    |

## CL. 4.8

- Low Tensile Steel**  
Acciaio a Bassa Resistenza
- Class 4.8 Steel**  
Acciaio Classe 4.8
- Tensile Strength: 400 N/mm<sup>2</sup>**  
Resistenza alla rottura per trazione: 400 N/mm<sup>2</sup>
- Elastic limit: 320 N/mm<sup>2</sup>**  
Limite di elasticità: 320 N/mm<sup>2</sup>

#### FINISHING



#### PACKAGING



| SIZES<br>MISURE | TG 51<br>BLUE ZINC Cr3<br>ZINCATE Cr3<br>€/ 1.000 | TG 57<br>BLACK ZINC Cr3<br>ZINC. NERE Cr3<br>€/ 1.000 | 3.000 (6) | 1.000 (2) | 500 | 4.000 |
|-----------------|---|---|-----------|-----------|-----|-------|
| M 6 x 15        | 49,00   | 67,08   | 3.000 (6) | 1.000 (2) | 500 | 4.000 |
| 16              | 50,20   | 70,62   | 3.000 (6) | 1.000 (2) | 500 | 4.000 |
| 20              | 55,80   | 76,65   | 3.000 (6) | 1.000 (2) | 500 | 3.000 |
| 25              | 61,00   | 83,72   | 2.000 (4) | 1.000 (2) | 500 | 2.500 |
| 30              | 65,00   | 88,92   | 2.000 (4) | 1.000 (2) | 500 | 2.500 |
| 35              | 72,50   | 99,32   | 1.600 (8) | 800 (4)   | 200 | 2.200 |
| 40              | 82,50   | 113,36  | 1.200 (6) | 400 (2)   | 200 | 2.000 |
| 45              | 94,50   | 130,00  | 1.200 (6) | 400 (2)   | 200 | 1.800 |
| 50              | 105,00  | 144,56  | 1.200 (6) | 400 (2)   | 200 | 1.600 |
| 60              | 135,00  | 185,12  | 800 (4)   | 400 (2)   | 200 | 1.500 |
| 70              | 168,00  | 229,84  | 800 (4)   | 400 (2)   | 200 | 1.000 |

# 05500

## TSP PZ



ALWAYS UP-TO-DATE WITH REGULATIONS




MORE INFO ON PAGE 14



### EURO SCREWS PZ FLAT HEAD

- Viti euro testa svasata piana PZ
- Euroschrauben Senkkopf PZ-Antrieb
- Vis euro tête fraisée PZ
- Tornillos euro cabeza plana PZ
- Евровинты потайная плоская головка PZ



| Diameters<br>Diametri | Limits<br>Limiti | A    | D    | P     | PZ |
|-----------------------|------------------|------|------|-------|----|
| 6,3                   | Min.             | 7,00 | 6,20 | -1,80 | 2  |
|                       | Max.             | 7,40 | 6,45 |       |    |

### C1022

- Carbon steel: C1022**  
Acciaio temperato: C1022
- Case hardness: HV 450 Min**  
Durezza superficiale: HV 450 Min
- Core hardness: HV 270-390**  
Durezza a cuore: HV 270-390

| SIZES<br>MISURE | FINISHING  |   |  | PACKAGING  |           |       |
|-----------------|--|---|--|------------|-----------|-------|
|                 | TG 51<br>BLUE ZNC Cr3<br>ZINCATE Cr3<br>€/ 1.000 | TG 4<br>NICKEL PL.<br>NICHELATE<br>€/ 1.000 | TG 57<br>BLACK ZNC Cr3<br>ZINC. NERE Cr3<br>€/ 1.000 |            |           |       |
| 6,3 x 9         | 20,85  | 26,05                                       | 29,22  | 12.000 (6) | 4.000 (2) | 2.000 |
| 11              | 22,45  | 28,10                                       | 31,46  | 12.000 (6) | 4.000 (2) | 2.000 |
| 13              | 23,80  | 29,65                                       | 33,33  | 8.000 (4)  | 4.000 (2) | 2.000 |

# 06500

## TSP PZ SM




ALWAYS UP-TO-DATE WITH REGULATIONS

**Small Head // Testa ridotta**

### EURO SCREWS PZ SMALL FLAT HEAD

- Viti euro testa svasata piana ridotta PZ
- Euroschrauben kleiner Senkkopf PZ-Antrieb
- Vis euro tête fraisée réduite PZ
- Tornillos euro cabeza plana reducida PZ
- Евровинты потайная уменьшенная головка PZ



| Diameters<br>Diametri | Limits<br>Limiti | A    | D    | P     | PZ |
|-----------------------|------------------|------|------|-------|----|
| 6,3                   | Min.             | 6,70 | 6,20 | -1,80 | 2  |
|                       | Max              | 7,10 | 6,45 |       |    |

### C1022

- **Carbon steel: C1022**  
Acciaio temperato: C1022
- **Case hardness: HV 450 Min**  
Durezza superficiale: HV 450 Min
- **Core hardness: HV 270-390**  
Durezza a cuore: HV 270-390

| SIZES<br>MISURE | FINISHING   |   |   | PACKAGING  |           |       |
|-----------------|---|---|---|------------|-----------|-------|
|                 | TG 51<br>BLUE ZNC Cr3<br>ZINCATE Cr3<br>€ / 1.000 | TG 4<br>NICKEL PL<br>NICHELATE<br>€ / 1.000 | TG 57<br>BLACK ZNC Cr3<br>ZINC. NERE Cr3<br>€ / 1.000 |            |           |       |
| 6,3 x 9         | 21,50   | 26,40                                       | 29,59   | 12.000 (6) | 4.000 (2) | 2.000 |
| 11              | 23,30   | 28,45                                       | 31,82   | 12.000 (6) | 4.000 (2) | 2.000 |
| 13              | 25,10   | 30,00                                       | 33,70   | 8.000 (4)  | 4.000 (2) | 2.000 |



**TECNOFIX S.r.l.**

Via Brughetti, 4/G | 20813 Bovisio Masciago (MB) | Tel: 0362 690030 | [info@tecnofixsrl.com](mailto:info@tecnofixsrl.com)

